

Adhesive-Bonded Rivetless Nutplates

Fewer Holes, Less Weight, Easy Installation















- Requires only one drilled hole instead of three
- Increases performance & structural life
- Reduces galvanic corrosion
- Prevents structural fatigue
- Significantly reduces total installation costs
- Provides substantial weight savings
- Compatible with metal & composite structures
- Reduces potential for FOD (foreign object debris)



6 5 % L E S S I N S T A L L A T I O N T I M E

PRESERVES STRUCTURAL INTEGRITY

One Drilling Event



Click Bond Rivetless Nutplate

Three Drilling Events



Standard Riveted Nutplate

MORE TYPES. MORE MATERIALS. MORE SOLUTIONS.

Application-Specific Engineered Designs. Need a unique solution? Let us design it for you.



Standard Nutplates



Sealed Nutplates



Sleeved Nutplates



Your design begins with Solid Works 3D modeling



A 3D prototype part is created, taking hours instead of weeks.



Production parts are quality checked to ensure they match your specifications

Standard Nutplates





- Secure panels, skins, and access covers
- Double and triple nut configurations available
- Clip and bracket retained nut elements permit post-installation nut replacement
- Standard and high-reuse nut elements available

Sealed Nutplates



- Suitable for submerged applications
- Ideal for closeout of fluid-filled bays and tanks or pressure vessels
- Suited for jet fuel environments
- Facilitates lightning strike mitigation

Sleeved Nutplates



- Combines bonded nutplates and ACRES® sleeves, delivering enhanced hole bore protection
- FLEXBOND® nutplates are the ultimate solution for structural fatigue life enhancement
- Provides secondary mechanical retention of nut element in addition to adhesive

Baseplate Types



Clip Retained **Bracket Retained**



Foldover

Baseplate Materials





Anodized Aluminum





A-286/304 CRES





High-Reuse Nut Elements

- 50 cycle durability ideal for titanium bolt applications
- Our unique design and installation process offers significant reduction in galling
- Available in a full-range of thread sizes







coated with significant lubricity to avoid galling.

High-Strength Split-Beam Nuts

- These high-strength nutplates incorporate innovative thread-locking technology that reduces the potential for galling and thread seizing
- 250 reuse cycles great for access covers that require frequent removal

Withstands intense shock and vibration





Flex Sleeve Nutplates

Combines adhesive-bonded nutplate and ACRES® Sleeve technology to provide:

- Secondary mechanical retention in addition to adhesive
- Lightning strike protection enables electrical conductivity through the substrate
- Structural integrity improves fatigue life by cold working the drilled hole through a slightly larger mandrel that expands the inserted sleeve





The mandrel causes the sleeve to expand, providing enough force to provide a secondary retention of the nutplate in the structure.

Metric Nutplates

- Click Bond rivetless nutplates are readily available in metric sizes
- Miniature nutplates available in M3 to M8 sizes
- Ideal for automotive and drone applications









CLICK

BOND

Expanding the Possible

Our engineers and scientists strive to be virtual extensions of your design team, refining design ideas together. Our state-of-the-art technology includes:

- Solid Works 3D modeling
- FEA (Finite Element Analysis)
- In-house 3D prototype printing
- GOM laser measuring system

+1.775.885.8000 WWW.CLICKBOND.COM

2151 Lockheed Way, Carson City, NV 89706

© 2022 Click Bond, Inc. All rights reserved. Click Bond and the stylized logo are trademarks or registered trademarks of Click Bond, Inc. Registered, U.S. Patent and Trademark Office.

CB7200244-C